



For Supervisor's use only

3

90700



NEW ZEALAND QUALIFICATIONS AUTHORITY
MANA TOHU MĀTAURANGA O AOTEAROA



National Certificate of Educational Achievement
TAUMATA MĀTAURANGA Ā-MOTU KUA TAEA

Level 3 Chemistry, 2006

90700 Describe properties of aqueous systems

Credits: Five

9.30 am Monday 27 November 2006

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

A Periodic Table is provided on the RESOURCE SHEET in your Level 3 Chemistry package.

You should answer ALL the questions in this booklet.

Show all working for all calculations.

If you need more space for any answer, use the page(s) provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–8 in the correct order and that none of these pages is blank.


YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

<i>For Assessor's use only</i>		Achievement Criteria	
Achievement		Achievement with Merit	Achievement with Excellence
Describe properties of aqueous systems.	<input type="checkbox"/>	Explain and apply properties of aqueous systems.	<input type="checkbox"/>
		Discuss properties of aqueous systems.	<input type="checkbox"/>
Overall Level of Performance			<input type="checkbox"/>

You are advised to spend 45 minutes answering the questions in this booklet.

QUESTION ONE: PARTICLES IN SOLUTIONS

The boxes below show particle representations of the species (excluding water) in four aqueous solutions.



- (a) Choose the box that **best** illustrates each of the solutions (i)–(iii) below. In each case, give a reason for your answer.

- (i) A **dilute solution** of a **strong acid**

Box: _____

Reason: _____

(ii) A concentrated solution of a weak acid

Box: _____

Reason: _____

(iii) A buffer solution

Box: _____

Reason: _____

(b) Explain how the **pH** and **buffering properties** of the buffer solution would be affected if it were diluted by a factor of 10.

QUESTION TWO: EXTRACTION OF SALT

Sea-water contains appreciable amounts of ions other than Na^+ and Cl^- . One substance that is less soluble than sodium chloride is calcium sulfate. This is precipitated in the first stage of the purification process used to produce table salt (sodium chloride).

$$K_s(\text{CaSO}_4) = 2.45 \times 10^{-5}$$

- (a) (i) Write the equation for the equilibrium reaction in a saturated solution of calcium sulfate.

- (ii) Calculate the solubility of CaSO_4 in water.

Evaporating the sea-water to dryness would produce a mixture of salts including NaCl . However, precipitation of NaCl occurs if concentrated hydrochloric acid is added to a saturated NaCl solution.

- (b) Explain why this precipitation occurs.

As part of the process for extracting table salt from sea-water, sodium hydroxide is added to the sea-water to precipitate the magnesium ions as magnesium hydroxide. The concentration of Mg^{2+} ions at this stage is 0.555 mol L^{-1} .



- (c) Calculate the minimum hydroxide ion concentration and hence the pH of the solution needed for precipitation to occur.

$$K_s (\text{Mg(OH)}_2) = 7.10 \times 10^{-12}$$

QUESTION THREE: TITRATION CURVES

The graph below shows the change in pH when 40.0 mL of 0.0500 mol L⁻¹ aqueous NH₃ is titrated with 0.200 mol L⁻¹ aqueous HCl.

The equation for the reaction occurring during the titration is:



- (a) Use the curve to determine $\text{p}K_a(\text{NH}_4^+)$ and hence calculate $K_a(\text{NH}_4^+)$.

$\text{p}K_a(\text{NH}_4^+)$ _____

$K_a(\text{NH}_4^+)$ _____

- (b) Explain why the pH at the equivalence point for this titration is less than 7. (Include an equation to support your answer.)

A $\text{NH}_4^+/\text{NH}_3$ buffer solution is prepared with a pH of 9.6.

- (c) Use the graph to describe how this buffer solution could be made from $0.0500 \text{ mol L}^{-1} \text{NH}_3$ solution and $0.200 \text{ mol L}^{-1} \text{HCl}$ solutions.

A second titration is carried out – this time 40.0 mL of $0.0500 \text{ mol L}^{-1} \text{NH}_4\text{Cl}$ solution is titrated against $0.200 \text{ mol L}^{-1} \text{NaOH}$ solution.

- (d) Write an equation for the titration reaction.

- (e) (i) Show that $[\text{NH}_3]$ at the equivalence point is $0.0400 \text{ mol L}^{-1}$.

- (ii) Using $K_a(\text{NH}_4^+)$ determined in part (a) on the previous page, determine the pH at the equivalence point of the second titration.
